Google

Web   **Images**   **Groups**   **News**   **Froogle**   **Local**   **more »**

| endian conversion method | Search | Advanced Search
Preferences

○ Search the Web ● Search English and German pages

Web Results **1 - 10** of about **72,700 English and German** pages for **endian** conversion method. (0.63 seconds)

Environment Variable F_UFMTENDIAN **Method**
Little-to-Big **Endian Conversion** Environment Variable. In order to use the
little-**endian**-to-big-**endian conversion** feature, specify the numbers of the units ...
www.tacc.utexas.edu/services/ userguides/intel8/fc/f_ug1/cmp_endi.htm - 11k - Cached - Similar pages

EP1150214 Nippon european software patent - **Endian conversion** of ...
An **endian conversion method** according to Claim 9, wherein said (b) is performed
in reference to a byte enable data (BE1) indicating said array of said unit ...
gauss.ffii.org/PatentView/EP1150214 - 66k - Cached - Similar pages

Environment Variable F_UFMTENDIAN **Method**
Environment Variable F_UFMTENDIAN **Method**. The little-**endian**-to-big-**endian conversion**
feature is intended for Fortran unformatted input/output operations. ...
www.ncsa.uiuc.edu/UserInfo/Resources/ Hardware/XeonCluster/Doc/Intel_8.0.044/f_ug1/cmp_endi.htm - 14k -
Cached - Similar pages

PCM2PCMConversionProvider (Tritonus API)
... Signed big **endian**; arbitrary **conversion** between 8/16/24/32 bit sample width
... **Methods** inherited from class org.tritonus.share.sampled.convert. ...
tritonus.sourceforge.net/apidoc/org/ tritonus/sampled/convert/PCM2PCMConversionProvider.html - 32k -
Cached - Similar pages

IronDoc Endianess
On big **endian** platforms, the "big" (most significant) byte of an integer ...
This incremental **conversion** of blocks to wish endianess will not convert all ...
www.treedragon.com/ged/irondoc/irendian.htm - 21k - Cached - Similar pages

dBforums - Converting Little **Endian** to big **endian**
This **method** only works if aValue and bValue are unsigned, and bValue is a 16-bit
value. ... I would like to know fastest way to do such **ENDIAN conversion**. ...
www.dbforums.com/archive/index.php/t-1168204.html - 11k - Cached - Similar pages

Compaq Fortran
Data storage uses a convention of either little **endian** or big **endian** storage,
... If none of these **methods** are specified, no **conversion** occurs between disk ...
nf.apac.edu.au/facilities/sc/compaq_mirror3/ progtool/unix-um/dfumdataconv.htm - 38k - Cached - Similar pages

LabVIEW Technical Resource - Optimizing Type Conversions to ...
LabVIEW normally stores flattened data in big **Endian** format for most data types.
One of our engineers found several ways to do this **conversion** and these are ...
www.ltrpub.com/LVResources/ articles/article_v12n2/article_v12n2.htm - 27k - Cached - Similar pages

EDais - JPEGInfo library
Methods:. ReadFile(). Description: This is the core of the class, it parses and
validates ... Return: Little **endian conversion**. SWordToDWord(). Description: ...
edais.mvps.org/Code/Libraries/JPEGInfo/ - 19k - Cached - Similar pages

CONVERT Specifier

Method Used, Precedence. An environment variable, Highest ... which might be processed and possibly written in native little **endian** format to unit 20: ...
nimbus.ocis.temple.edu/df90au51/lrm0553.htm - 7k - <u>Cached</u> - <u>Similar pages</u>

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search ⊘ ▾ 🔴 🔴 9:30 AM

Free! Instantly find your email, files, media and web history. <u>Download now</u>.

| endian conversion method | | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2005 Google

Google

endian memory address reflection   Search   Advanced Search
Preferences

○ Search the Web ◉ Search English and German pages

Web Results 1 - 10 of about **7,330 English and German** pages for **endian memory address reflection**. (0.24 seconds)

DAV's **Endian** FAQ
This theorem is the basis of computer **memory addressing**. ... While PCI is inherently
little-**endian** (the first byte of memory is multiplexed with the ...
www.rdrop.com/~cary/html/**endian**_faq.html - 106k - Cached - Similar pages

Implementing Bit-**addressing** with Specialization
We use `little-**endian**' **addressing** so the least significant bit of each word ... The last
several **addresses** and **memory** values are stored in a table in the ...
draves.org/cmu-research/bit-addr/bit-addr.html - 55k - Cached - Similar pages

.NET 247 : BinaryReader - can it be forced to read a BigEndian ...
Windows client PC (native little **endian**) to be able to read a network stream ... object
and it uses **reflection** to populate the various members, returning an ...
www.dotnet247.com/247reference/msgs/51/258557.aspx - 36k -
Cached - Similar pages

General FAQ
Do you have any specific enhancements that **address** those markets? ... Please
explain how your "Internal Page **Memory** System" operates ...
www.nsicom.com/Default.aspx?tabid=157 - 35k - Cached - Similar pages

[PDF] Topic 2: Basic Pipelining
File Format: PDF/Adobe Acrobat - View as HTML
Addressing Modes. **Memory** is byte-addressible. Big-**endian** (bytes number 0, 1, 2, ...
CPI is an average measure, a **reflection** of throughput of instructions ...
www.cc.gatech.edu/classes/ cs4760_98_fall/lectures/lecture2.pdf - Similar pages

G3D: Working with Files & Networks
... be written directly to disk (since they refere to live **memory addresses**), ... They can
handle both big- and little-**endian** files and make appropriate ...
g3d-cpp.sourceforge.net/html/guidefiles.html - 14k - Cached - Similar pages

Patent 5537607: Field programmable general purpose interface ...
Micro Channel being little-**endian**, POS 0 is the lesser and POS 1 the more ... The
Register is loaded with the starting system **memory address** by the ...
www.freepatentsonline.com/5537607.html - Similar pages

Win32 API Programming with Visual Basic
cached device contexts, 401 CPUs, **address** format, 55 **memory** heaps, 230
obsolence of, 141 ... little **endian**, 33 Load event, 184 LOADED_IMAGE structure, 254
...
www.oreilly.de/catalog/win32api/inx.html - 153k - Cached - Similar pages

Dictionary of Computer Science
address: a number which specifies the position of a particular **memory** ... big **endian**:
written or stored with the most significant component first (eg 1997, ...
www.cs.bris.ac.uk/Teaching/ Resources/COMS11200/jargon.html - 45k -
Cached - Similar pages

Executor Internals: How to Efficiently Run Mac Programs on PCs
For example, {\f22 movel d0, mem} requires d0 to be cached in big **endian** ... is for

SVGA's video **memory** to only be mapped into the PC **address** space through ...
www.emulatronia.com/doctec/ordenadores/mac/machack.html - 56k -
Cached - Similar pages

Goooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search ⊘ ▾ ▣ ⊘ 9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

| endian memory address reflection | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google

Web   Images   Groups   News   Froogle   Local   **more »**

endian code translation   Search   Advanced Search
Preferences

○ Search the Web ◉ Search English and German pages

Web   Results **1 - 10** of about **85,300 English and German** pages for **endian code translation**. (0.36 seconds)

PortAsm/86 for PowerPC
PortAsm/86 for PowerPC is a source-**code translator** which converts 80x86 ...
memory references to detect unaligned accesses and **endian**-dependent **code**. ...
www.microapl.co.uk/Porting/PortAsm86.html - 11k - Cached - Similar pages

PHPXRef 0.6 : WordPress SVN 1.6-ALPHA-do-not-use(r2724 17 July ...
... $translate Definitions: 2 References: 4; $translation Definitions: 2 ...
$emailaddy References: 10; $enc References: 8; $endian References: 6 ...
www.cenamayo.com/wpxref/_variables/ - 198k - Cached - Similar pages

The Presentation Layer
Big **Endian**. Character **Code Translation** - Most computers use one of three binary
numbering systems to represent character sets. They are: ...
homepages.uel.ac.uk/u0212068/presentation%20Layer.htm - 10k - Cached - Similar pages

Corrupted screen with VNC on Linux for S/390
I think the **endian** problems you're seeing are in the XFree86 **code**, ... Lastly,
in the same directory, **translate**.c defines the BGR233 pixel format > with a ...
www.realvnc.com/pipermail/ vnc-list/2000-December/018730.html - 6k - Cached - Similar pages

Purpose: Typical RESET sequence including memory programming on ...
Translation: Off // **Endian**: Processor Big // MPC10X Little ... between the //
exception table and **code** space. // // // **Translation**: Off // **Endian**: Little ...
www.freescale.com/files/archives/software/ app_software/**code**_examples/RESET105106COD.txt - 28k -
Cached - Similar pages

Dan Crevier's Blog : Thoughts on Apple on Intel rumors
... a certain **code translation** technology that promises close to native speeds.
... Theres the **endian** issues, the fact that G5 is fully 64 bit (and 32 bit), ...
blogs.msdn.com/dancre/archive/2005/06/04/425212.aspx - 26k - Jul 24, 2005 - Cached - Similar pages

Endianness in the Solaris Operating Environment
This document is a white paper on **endianness**. ... data from a source that may
not have the same **endianness** as the target machine on which the **code** will run. ...
developers.sun.com/solaris/developer/ support/driver/wps/**endian**ness/files/c0103.html - 24k -
Cached - Similar pages

### Program Transformation Wiki / Binary **Translation** Research
The Object **Code Translation** home page, maintained by Markus Pilz, at the University
of Zurich. Markus is working on Java Bytecode Compilation techniques (a ...
www.program-transformation.org/ Transform/BinaryTranslationResearch - 15k - Cached - Similar pages

ARMphetamine
Given that our aim is to **translate code** from one instruction-set ... I'll be
using little-**endian** ARM **code**. The task of converting directly from IA **code** to ...
armphetamine.sourceforge.net/oldinfo.html - 23k - Cached - Similar pages

German Translation mod_mime_magic - [Translate this page]
... <td>Big-**Endian** 16-Bit-Integer</td></tr> <tr><td><code>belong</code></td> ...
Future revisions and derivatives of this source **code** must acknowledge Cisco ...
mail-archives.apache.org/mod_mbox/httpd-docs/ 200312.mbox/%3C3FD9AF9C.8030801@t-online.de%3E - 15k -
Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10 **Next**

Google Desktop Search ⊘ - ◉ ⊘ 9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

| endian code translation | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google
     Web   Images   Groups   News   Froogle   Local   **more »**

howto endian convert   Search   Advanced Search
                                                          Preferences

          ○ Search the Web ◉ Search English and German pages

Web   Results **21 - 30** of about **86,100 English and German** pages for **howto endian convert**. (0.24 seconds)

[magick-users] **how-to convert** a 16-bit .ras to tiff?
Previous message: [magick-users] **how-to convert** a 16-bit .ras to tiff? ...
header 800 bytes Other issues might be big-**endian** versus little-**endian**, ...
studio.imagemagick.org/pipermail/ magick-users/2003-March/007962.html - 4k - Cached - Similar pages

The Code Project - The Complete Guide to C++ Strings, Part I ...
(So on a big-**endian** CPU, the bytes would still be in the order shown above.)
Using string handling functions ... Re: **howto convert** dbcs to sbcs ...
www.codeproject.com/string/cppstringguide1. asp?df=100&forumid=11258&exp=0&select=1073800 - 80k -
Cached - Similar pages

CONVERT Specifier
The **CONVERT** specifier indicates a nonnative numeric format for unformatted data.
... 1 INTEGER(1) data is the same for little **endian** and big **endian**. ...
h18009.www1.hp.com/fortran/docs/lrm/lrm0553.htm - 7k - Cached - Similar pages

Java Forums - **How to convert** int to byte[]
How to convert int to byte[] Author: daberlin, Mar 22, 2005 8:25 AM ... br> *
The byte array will be in big-**endian** byte-order with a fixes length of 4 ...
forum.java.sun.com/ thread.jspa?threadID=609364&messageID=3517577 - 44k - Cached - Similar pages

MRIcro software guide
SPMwin, SPM99, SPM2 and MRIcro can all read either big or little-**endian** Analyze
files ... MRIcro can also **convert** Analyze format images to the DICOM format. ...
www.psychology.nottingham.ac.uk/staff/cr1/mricro.html - 77k - Cached - Similar pages

Infosecwriters.com
To **convert** this address to little **endian**, we must first remove the 0x - this is
not necissary ... So our **converted** little **endian** address will look like so: ...
www.infosecwriters.com/texts.php?op=display&id=134 - 36k - Cached - Similar pages

Python Unicode Tutorial
We have seen **how to** construct a Unicode string. Now we can **convert** it to ...
In fact, there are two flavours, 'utf-16-le' for little-**endian** machines and ...
www.reportlab.com/i18n/python_unicode_tutorial.html - 13k - Cached - Similar pages

C# TIP: **Converting** & Sending Sockets Data with a Leading Length Value
Specifically, you need to know **how to convert** numeric data from the local ...
Note that I didn't say that it **converts** little-**endian** to big-**endian** because ...
www.developer.com/net/net/article.php/3331571 - 55k - Cached - Similar pages

Miscellaneous Topics
HOW TO INSTALL and LOAD MRIcro. 1. Follow installation directions at ... **Convert** to
ANALYZE, then save img file as big **endian** [Sun] (same as structural). ...
www.voxbo.org/manual/ch_misc.html - 13k - Cached - Similar pages

How to read IEEE files on DEC computers

If you are a DEC user, here is how you can use big-**endian** IEEE files in a Fortran
program on ... OPEN (UNIT=10,**CONVERT**='BIG_ENDIAN',FORM='UNFORMATTED',...) ...
www.scd.ucar.edu/zine/99/spring/text/2.dec.html - 5k - Cached - Similar pages

◀ Goooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112   **Next**

| howto endian convert | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google